

Desktop Thermal Printer

Model : ARCX2140EX

Compact desktop thermal label printer. Perfect for small to medium batch label printing, the ARCX2140EX offers 203 dpi print resolution, direct thermal and thermal transfer printing at a maximum speed of 6 inches per second (152 mm/s).

FEATURES

- direct thermal and thermal transfer printing
- print resolution – 203 dpi
- max print width – 108 mm
- max print length – 2540 mm
- min label length – 5 mm
- 32 MB SDRAM, 16 MB Flash ROM memory
- max transfer ribbon capacity – 300 m
- max media width – 118 mm
- min media width – 20 mm
- max label roll O.D – 115 mm (based on 40 mm core)
- interface - Ethernet, USB device, RS-232, USB host
- sensors - reflective sensor x 1 (movable) & transmissive sensor x 1 (Centre fixed)
- supports 1D and 2D barcode printing
- suitable for use with wax, wax/resin or resin ribbons
- media types; roll-feed, die-cut, continuous, fan-fold, black mark, tags, ticket in thermal and non-thermal paper
- includes label design software compatible with Microsoft Windows (not compatible with MAC OS)
- net weight 2.1 kg



SPECIFICATIONS

Model Number	Print Resolution	Max Print Speed	Max Print Width	Overall Dimensions (mm)
ARCX2140EX	203 dpi	152 mm / second	108 mm	226 (W) x 276 (D) x 188 (H)

Specifications may change without notice

LABELLING EQUIPMENT