



Integrated In-Line Weigh-Wrap-Price Labeller

Model: AW5600CPR2



AW5600CPR2 Integrated In-Line Weigh Wrap Price Labellers meet the high demands of efficient in-line weighing and packing operations.

The AW5600CPR2 delivers fast accurate and automatic in-line weigh labelling, and the newly enhanced sealing system means the wrapping finish is even better than in previous models, resulting in superior on-shelf food presentation & hygiene. At just over 1 metre wide, the compact design saves valuable floor space and clears the room for adding a gravity outfeed roller for even greater efficiency.

Legal for trade use in Australia, and with an impressive weigh-wrap-labelling speed of up to 30 packs per minute, and is certain to enhance operations where accurate weighing, packing and price labelling is essential.

15" Large Full Colour Touch Screen

The user-friendly operator screen improves efficiency and flexible formatting means size, colour and location can be changed to suit your operation.

- Preset and frequently used function keys can be assigned for quick access.
- Label content can be previewed on the display prior to printing to prevent labelling errors.
- The screen angle is adjustable to ensure good viewing for all operators and lighting conditions.



Optional Gravity Outfeed Roller Increases Packaging Line Productivity


Boost the productivity of your packaging line with the addition of a robust gravity outfeed roller. It connects to the rear of the wrapper creating a fast in-line fully integrated system.



Linerless Labelling with Built-In Auto-Cutter

DIGI's linerless labelling technology with a unique built-in label cutter eliminates liner waste, increases flexibility and profit.

- **Eliminate wasted white space on big labels.** The auto-label-sizing feature eliminates unused space on the label and automatically adjusts the label size. This reduces the label cost and makes labels more attractive.
- **Increased flexibility in label formatting.** The auto-cut feature cuts from a continuous strip of linerless labels every time a label is printed. Variable label layouts and sizes can be printed from a single cut. This reduces the number of label types you need to store and time spent on changing label rolls for different product.
- **No more label liner waste.** The elimination of backing paper for labels (label liner) means no liner waste to store or dispose of which frees up valuable floor space and contributes positively to environmental goals.



Specifications may change without notice

Integrated In-Line Weigh-Wrap-Price Labeller

Model : AW5600CPR2

Smart Labelling

80 mm wide 300 dpi thermal head

The 300 dpi thermal head enables clear and crisp label printing for enhanced consumer appeal and quality bar code printing for accurate scanning at checkout. DIGI's signature 80 mm print width allows more information to be included on labels so that labelling regulations are met while still keeping attractive advertising messages.

Easy label change

The AW5600CPR2 has a very simple spooling structure for the label roll. This allows for quick, easy exchange of label rolls in the front-loading labeller.

High productivity

Capable of wrapping packages up to 150 mm high, the AW5600CPR2 will weigh, wrap, price and label automatically in one straight pass at an impressive speed of up to 30 packs per minute.

In addition to enhanced consumer appeal and hygiene, the superior quality of wrapping and labelling results in less goods needing to be repacked or returned due to leakage.



FEATURES OVERVIEW

- NMI approved for trade use
- compatible with Wedderburn's PVC-free stretch film
- film loading is fast and easy
- small footprint that saves valuable floor space
- easy to use with large 15" full colour touch screen and on-screen help messages
- capable of wrapping trays up to 130 mm high
- weighs, wraps, prices and labels efficiently at a speed of up to 30 packs per minute
- wide 300 dpi thermal head allows more detail to be printed on labels up to 80 mm wide
- engineered to use environmentally conscious linerless labels
- free-layout function keys allow users to customise the key layout
- fast PLU file communication via Ethernet
- contact parts such as the weighing platter can be easily accessed and removed for thorough cleaning so that excellent hygiene standards can be maintained

OPTIONS

- optional second labeller
- optional gravity outfeed roller
- optional IWC automatic infeed conveyor (depicted)
- optional wireless RF communication for a cable-free environment



Shown with optional IWC Automatic Infeed Conveyor

Specifications may change without notice

Integrated In-Line Weigh-Wrap-Price Labeller

Model : AW5600CPR2

SPECIFICATIONS


Capacity:	6 / 15 kg x 2 / 5 g (multi-interval)	
Package size (mm):	Width: 130 - 350	Depth: 80 - 230
	Height: 10 - 150	
	The maximum combination of the above dimensions is not available and the available package size depends on the film width.	
Wrapping speed:	Maximum 30 packs per minute	
Number of Film Rolls:	One	
Film Width (mm)	300 - 500	
Label Type:	Thermal Paper / Die Cut	Thermal Paper / Linerless
Label Width (mm):	40 - 80	44 - 59
Label Length (mm):	28 - 150	28 - 105
Display Panel:	15 inch TFT colour touch panel	
Keypad:	Pictorial or English	
Programmable Items:	PLU no., commodity name, ingredient, unit price, price, tare weight, sell-by-date, taste-by-date, department name, barcode (UPC, EAN), target weight, special message, advertising message, shop name & logo, extra print format, wrapping conditions, etc.	
Power requirement:	Single phase, 220 - 240 V, 50 Hz, 1.8 kw	
Overall dimensions (mm):	1060 (W) x 1372 (D) x 1786 (H)	
Net weight:	Approximately 340 kg	



FRONT VIEW

SIDE VIEW

TOP VIEW



PACKAGING EQUIPMENT

LABELS | LABELLING EQUIPMENT | PACKAGING EQUIPMENT
 ESL & DIGITAL SIGNAGE | WEIGHING SCALES | POS SYSTEMS
 FOOD EQUIPMENT | MAINTENANCE & REPAIRS | HIRE

Specifications may change without notice

1300 970 111
 enquiries@wedderburn.com.au
 www.wedderburn.com.au